

# RESEARCH MEMORANDUM

SUMMARY OF LOCATIONS, EXTENTS,

AND INTENSITIES OF TURBULENT AREAS ENCOUNTERED DURING

FLIGHT INVESTIGATIONS OF THE JET STREAM FROM

JANUARY 7, 1957 TO APRIL 28, 1957

By Martin R. Copp

Langley Aeronautical Laboratory Langley Field, Va.

LIBRARY COPY.

MAR 5 1900

LANGLEY ALAUNAT HE AL LEGURATURY
LIBRARY, NACA
LANGLEY FILL D. VINGINIA

# NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

WASHINGTON

March 3, 1958



## NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

# RESEARCH MEMORANDUM

SUMMARY OF LOCATIONS, EXTENTS,

AND INTENSITIES OF TURBULENT AREAS ENCOUNTERED DURING

FLIGHT INVESTIGATIONS OF THE JET STREAM FROM

JANUARY 7, 1957 TO APRIL 28, 1957

By Martin R. Copp

#### SUMMARY

A summary of the locations, extents, and intensities of turbulent areas encountered during a flight investigation of the jet stream is presented. The data were obtained from NACA VGH time-history records.

#### INTRODUCTION

A flight investigation of the jet stream utilizing a Boeing B-47 airplane was undertaken by the Air Force Cambridge Research Center (ref. 1). The National Advisory Committee for Aeronautics cooperated in this flight investigation to the extent of providing instruments for measuring the turbulence and the evaluation of the data. A summary of the extents of the turbulent areas and the altitudes and times at which they were encountered is presented in reference 2 for the period October 1953 to July 1955. This report summarizes subsequent data obtained for the period January 1957 to April 1957.

#### SCOPE OF DATA AND APPARATUS

The flight records covered the period from January 7, 1957 to April 28, 1957. The records from 20 flights were obtained mostly over the central part of the United States with occasional missions flown to the west coast and with some flights over the southeastern part of the country. VGH records were not obtained from flights 10, 11, and 12 because of instrument malfunctions. Flight altitudes for the

2 NACA RM L57L12

separate traverses along or across the jet stream varied from about 23,000 feet to 42,000 feet in an attempt to obtain detailed data on parameters, such as the wind and turbulence field at a given altitude in the jet stream, and also to define the cross section of the jet stream. A more detailed description of the tests is given in reference 1. The data presented herein represent approximately 45,000 miles of flight.

The NACA VGH recorder used to obtain the turbulence measurements is described in reference 3. Basically, the instrument contains two pressure capsules and an accelerometer element to record the time histories of airspeed, altitude, and vertical acceleration. However, for this investigation, the accelerometer element was removed from the VGH recorder and an airspeed cell was installed which permitted reading of airspeed fluctuations down to approximately 2 feet per second at the normal cruising speed of the airplane. The fluctuations in indicated airspeed provided a measure of the longitudinal gust components for use in determining the locations, extents, and intensities of the turbulent areas.

The recorder contained 200 feet of film, and, with the film speed of about 3.7 inches per minute used in the present tests, film was available for approximately  $10\frac{1}{2}$  hours of flight. In general, continuous records were taken from the time of take-off to the time of landing. One-minute timing marks were impressed on the VGH records as an aid in locating the turbulent areas encountered and in computing the total distance flown.

£,

# EVALUATION AND PRESENTATION OF DATA

In evaluating the VGH records, the turbulent areas were defined by the portions of the records which contained horizontal gust components as measured from the mean flight speed of at least 5 feet per second (true airspeed). This does not infer that, in all portions of a given area of turbulence, gust velocities of at least 5 feet per second were continuously encountered. Large portions of the areas designated as turbulent contained gust velocities of lower magnitude which probably were not discernible to the flight personnel. No correction for the response of the airspeed system of the VGH recorder was made in reading the fluctuations from the records since the detailed lengths and sizes of the tubing used in installing the instrumentation were not known. On the basis of information available on similar airspeed systems, it is estimated that, for the altitude range covered by the present tests, the peak velocity values are accurate to within 15 percent. It is considered, therefore, that the airspeed readings provided a consistent measure of the horizontal gust intensities for use in defining the turbulent areas.

NACA RM L57L12

The locations of the turbulent areas are listed for each flight in table I in terms of the elapsed time from take-off. Also given in table I are the average pressure altitude and the indicated airspeed of the airplane during the time the turbulence was encountered. The extent of each area of turbulence was determined from the time during which the airplane was in the turbulent region and the average true airspeed. As a measure of the turbulence encountered, the number of true gust velocities equal to or greater than 10 feet per second, as well as the maximum true gust velocity for each turbulent area, are also tabulated. The times when cruising altitude was reached and when descent was started are noted in the table for each flight in order to provide a basis for correlating the locations of the turbulent areas with other meteorological measurements taken in the airplane.

#### DISCUSSION

The turbulence encountered during the investigation was generally light, as in reference 2, and covered approximately 12 percent of the total distance flown. A comparison of the data in table I indicates that the most severe turbulence was encountered during flight 27, on March 29, 1957. During this flight, the table indicates that the true gust velocities ranged up to 37 feet per second as compared to values generally less than 20 feet per second for the remainder of the flights. The extent of the turbulence encountered during flight 27 was approximately 23 percent of the total distance flown. Although larger areas of continuous turbulence were encountered on other flights, for example flight 29, the maximum true gust velocity encountered and the number of gusts per mile of turbulent air were considerably less for these turbulent areas than for the most turbulent areas of flight 27.

Langley Aeronautical Laboratory,
National Advisory Committee for Aeronautics,
Langley Field, Va., Nov. 20, 1957.

### REFERENCES

- 1. Endlich, R. M., Harney, Patrick, McLean, G. S., Rados, Robert M., Tibbets, O. J., and Widger, W. K., Jr.: Project Jet Stream The Observation and Analysis of the Detailed Structure of the Atmosphere Near the Tropopause. Bull. Am. Meteorol. Soc., vol. 35, no. 4, Apr. 1954, pp. 143-153.
- 2. Fetner, Mary W.: Summary of Locations and Extents of Turbulent Areas Encountered During Flight Investigations of the Jet Stream From October 1953 to May 1954 and November 1954 to July 1955. NACA RM L55H04a, 1956.
- 3. Richardson, Norman R.: NACA VGH Recorder. NACA TN 2265, 1951.

TABLE I .- SUMMARY OF JET-STREAM TURBULENCE DATA

turbulence	ion of referenced	Pressure	sure Indicated Ex	Extent of	Number of true gust velocities >10 fps	Maximum true gust velocity, fps	Renarks	
Start	End	altitude, ft	airspeed,				Time cruise	Time descent
Time, min	Time, min						began, min	began, min
			Flie	tht 8; January	7, 1957	-	•	
155.0	156.3	42,000	262	12.6		7		AFT E
173.4	174.8	42,000	25 <u>4</u>	13.0		7	22.3	253.5
			Flie	ght 9; January	10, 1957			
68.4 99.9	70.0 100.5	30,000	328 284	14.1 4.4		8		
138.0	139.6	34,000 34,000	295	13.6		5 5	13.5	157.1
148.2	149.8	34,000	300	14.2		7		
			Fligi	t 13; January	23, 1957	,		
98.5	99.1	33,000	330 330	5.4		5		
99.7 112.8	100.1 116.6	33,000 29,000	320 270	3.8 27.8		5 5 9 6	1	
126.5	129.1	24,000	336	21.7			!	
131.5 140.5	136.0 144.1	23,000	358 263	38.7	3 3 5	10	1	
147.8	156.0	33,000 35,000	290	30.1 70.5	2	15	17-3	367.1
158.0	158.3	35,000	254	2.5		7	1	
162.6 168.2	163.1	35,000	296	4.4				
175.1	168.9 180.1	35,000 35,000	297 297	6.6 4.0	2	5 10	[	
214.4	215.0	37,000	276	5.6		7	1	
			Fligh	nt 14; January	24, 1957			
185.1	191.9	36,000	288	60.6		6		, <u> </u>
262.2 279.6	262.7 280.0	36,000	262 284	4.4		5 5 8	32 L	406.4
289.3	291.1	36,000 36,000	286	3.7 16.0		8	33.4	400.4
331.2	333.4	36,000	285	18.4		7		
	-		Fligh	nt 15; January	25, 1957			
63.3	64.1	36,000	<b>3</b> 04	8.3		5	34.8	225.7
74.9	80.1	35,000	310	2.3		6	J.1.0	>-1
. 1			i	t 16; January	27, 1957			-
97.4	100.9	37,000	284	31.3		8	17.2	150.1
	_		Fligh	t 17; February	7 5, 1957	г		
60.8	61.4	29,000	303	5.5		5		
75.3 112.6	76.2 113.2	29,000 36,000	313 265	7.7 5.0		7	22.6	316.6
227.8	230.4	32,000	298	21.5	ı	12	1	_
			Fligh	t 18; February	15, 1957			
21.3	23.3	24,000	349	17.1		6		
30.3 33.7	32.1 38.1	24,000 24,000	365 355	16.1 37.6	2	7 11		
51.1	5L.5	24,000	351	3.7		18	,, ,	05.5
72.9	74.4	27,000	323	12.6		Ä	10.3	95-5
77.2	77-5 86.4	28,000	330	3.3 36.2		1,7	}	
82.3 90.0	92,5	28,000 28,000	334 340	22.3	2 	12 7		
			Fligh	t 19; February	16, 1957			
29.9	30.2	34,000	281	3.0		7 8		
119.0	120.5	28,000	286	11.4 14.6		8		
193.5 241.9	195.2 242.3	31,500 34,000	298 254	3.2		6	29.7	305.3
268.1	268.9	35,000	282	7.0		5 6 6		
261.3	285.8	37,000	277	22.5		լ 6	1	

٠,

TABLE I.- SUMMARY OF JET-STREAM TURBULENCE DATA - Continued

Location of turbulence referenced from take-off		Pressure I	Indicated F	Extent of	Number of	Maximum	Remarks	
Stert	End	altitude, ft	airspeed, mph		true gust velccities >10 fps	true gust velocity, fps	Time cruise	Tire descent
Time, min	Time, min				_	_	tegan, min	began, min
		l.u-	Fligh	rt 20; Februar	y 20, 1957			
110.0	111.7	33,000	284	14.5		7 6		
146.1 177.5	147.0 183.7	35,000 37,000	277 258	7.1 50.4	2	111	25.5	306.2
232.0	234.5	39,000	26 <u>1</u>	21.5		8 6	1	
300.5	302.0	11,000	258	13.0		L	<u> </u>	<u> </u>
		· · · · · · · · · · · · · · · · · · ·	F15	ght 23; March	9, 1957	T		· ·
28.8 41.0	29.4 41.7	33,000 34,000	399 328	6.8 6.8	1	10 5		}
43.9	5C.4	34,000	328	62.0	2	10		
54.0	54.9 74.7	36,000	330 328	9.1 118.7	 50	8 17	16.1	223.7
62.4 79.7	80.5	34,000 36,000	252	7.6		7		
110.3 213.4	110.8 214.4	35,000 35,000	323 329	4.3 9.6-		5 6		
			Fli	ght 24; March	19, 1957	l	<u> </u>	L
35.7	35.2	35,000	280	4.4		5 8		
99.6	103.6	35,000	274 284	32.3 15.1		8 6		
112.0 159.5	1:3.8 160.1	35,000 40,000	2L2	4.7			•	
164.1	165.2	41,000	2L2 246	9.0		5 5 8		
167.6 181.4	169.0 184.4	41,000 36,000	28C	26.0		7	21.7	338.9
190.4 211.6	191.2	37,000 38,000	263 262	6.6 12.7		5		
225.4	213.1 229.3	37,000	272	33.5		1 7	[	
240.4 260.3	252.4 260.5	37,000	268 308	101.1		58736		
297.0	297.5	35,000 35,000	292	5.3		ă		
			713	ght 27; March	29, 195?			
80.7	90.2	35,000 36,000	284 287	81.0 23.9	74 26	32 16		
92.9 103.2	95•7 115•2	36,000 36,000	274	100.7		8		
121.1	125.4	36,000	280 280	19.5 28.2	6 1	:6 :1	1 -	
127.9 131.8	131.2 143.4	36,000 35,000	200 292	103.7	8 <del>5</del> 3	35 16		
157.1	157.6	36,000	278	4.3	3 82	16	1	
158.9 171.4	168.1 176.6	35,000 36,000	29 <sup>-</sup> .	80.5 46.2		37 5		
18C.5	185.3	36,C00	290	24.3		5 8		
185.0 190.6	187.8 194.2	35,000 35,000	289 286	24.7 30.7	<del></del>	8 5		
194.9	197.5	37,000	280	23.5		5 8 6	]	
199.3 205.8	200.2 210.9	37,000 37,000	273 269	8.1		8	22.5	F19.5
217.8	217.9	37,000	271	.9		6		-
219.0 235.7	228.8 235.9	57,000 37,000	. 27C . 267	83.1 1.9	23	17 6	]	
255.7 212.3	243.2	39,000	270	8.5 4.6		6	-	
250.8 252.7	251.3 254.6	39,000 39,000	270   271	16.6	8	9 12		
255.6	256.2	39,000	272	5.1				
258.5 259.9	259.2 261.3	39,000 39,000	269 269	5.8 11.7		9 9 9		
261.8	263.2	39,000	265	12.4		و ا		
26½.5 290.9	265.1 291.1	39,000 41,000	266 267	6.6 2.6		9	]	
339.7	34C.8	41,000	250	9.6		9		
356.8	356.9	Ŀ1,000	250	.7	1	15		

\*

.

TABLE I .- SUMMARY OF JET-STREAM TURBULENCE DATA - Continued

Location of turbulence referenced from take-off			Indicated	Extent of	Number of true gust	Maximum true gust	Remarks	
Start	End	altitude, ft	airspeed, mph	turbulence, miles	velocities	velocity,	Time cruise	Time descent
Time, min	Time, min						began, min	began, min
			Fla	ght 28; April	1, 1957			
30.4	32.5	34,000	306	18.9	7	15		
35.7 46.0	43.9	34,000	308	74.3	27	19	1	
	48.2	34,000 34.000	308 303	19.7	ļ <u></u>	6	ļ	i
57.3 67.4	57•9 82•2	34,000 34,000	296	5.3 128.7	 24	7 13		
118.2	123.8	36,000	296	50.7	]	- <del>1</del> 8		
122.8	139.0	38,000	280	91.2	24	15		
141.7	146.5	38,000	280	45.7	3	l 1i		
152.8	155.6	38,000	282	7.8		6		
158.8	159.5	36,000	292	6.7		6	20.6	340.0
163.3 170.9	165.8 174.1	36,000 36,000	298 300	22,5 29,3		5 7 8		_
175.1	178.4	36,000	296	34.2		Á	ł	i
179.7	195.6	36,000	292	169.4	7	13		
206.5	208.2	35,000	297	15.6	1 '	10	ŀ	
219.7	222.2	36,000	298	22.8	3	1.0	i	
298.6	301.2	39,000	270	22.8		7	l	
316.8 324.1	317.5 330.9	40,000 40,000	269 277	7.1 64.0		9 7		
336.0	340.0	42,000	264	37.1	3	12		1
			Fli	ght 29; April	4, 1957		<del></del>	J
146.5	148.1	36,000	288	13.1	1	26	1	1
201.3	202.1	37,000	275	7.5			1	Į.
213.3	213.9	38,000	274	5.6		5 5	22.6	col- 7
229.8	230.6	39,000	270	7.4	_8	18	22.0	294.7
233.1	272.7	40,000	264	352-4	62	26		
279.5	281.7	40,000	261	18.7	<u></u>	5	L	L
			Fli	ght 30; April	8, 1957			
37-5	67.5	35,000	310	277.9	5	1Ì	1	l
105.9	107.0	55,000	324	10.3		6		
110.9 117.5	114.2 120.5	36,000 36,000	296 292	30.1 27.2	<u></u>	7 10		
142.2	144.3	36,000	292	18.6	l <u>-</u>	10	30.5	226.5
149.0	149.7	38,000	282	6.2	ī	10		
153.8	264.4	38,000	285	96.9	3	11,	ł	Į.
186.5	188.6	38,000	288	19.5		6	L	l
			Fli	gat 31; April	12, 1957			
101.9	109.0	31,000	336	66.4		8	1	ł
129.5	131.2	30,000	328	15.1		<u>5</u>	i	l
143.8	152.3 159.9	30,000	330 315	76.6	} <del></del>	7	26.8	Complete
159.3 162.3	163.5	33,000 33,000	315 300	4.7 10.1	i <u></u>	7	20.0	flight not obtained
169.5	178.6	33,000	309	61.2	36	15 8	1	02.487160
346.1	347.6	34,000	300	13.0	I [	Á	1	I

TABLE I.- SUMMARY OF JET-STREAM TURBULENCE DATA - Concluded

Location of turbulence referenced from take-off		altitude, s		Extent of	Number of true gust velocities,	Maximum true gust velocity,	Remarks		
Start	End	ft	mph	miles	>10 fps	fps	Time cruise begen, min	Time descent began, min	
Time, min	Tire, min	<u> </u>					began, min	began, min	
			Flig	ght 32; Apri	1 23, 1957				
87.5 90.6 95.3 127.9 149.0 165.5 181.8 199.0 208.5 211.1 268.1 270.6 300.2 328.9 347.6	89.6 94.5 96.9 145.0 149.8 175.1 189.2 200.5 210.1 273.2 307.9 314.0 319.0	34,000 34,000 37,000 37,000 37,000 37,000 39,000 39,000 39,000 39,000 40,000 40,000	51-5 51-8 522 205 205 200 200 200 200 200 200 200	19.4 36.4 157.3 7.7 204.4 13.4 15.7 4.0 6.1 24.6 73.7		765752255567885	27.4	253.1	
	. Flight 33; April 26, 1957								
26.3 42.6 77.2 83.5 95.7 116.1 122.2 149.5 170.3 230.3 236.6 250.6 295.3	27.9 16.1 79.3 85.8 99.3 117.7 136.7 151.3 173.3 231.5 239.3 251.0 297.1	27,000 27,000 28,000 28,000 31,000 31,000 33,500 33,500 32,500 32,500 33,000 33,000	370 370 340 345 328 320 310 320 335 335 317 290	15.7 34.0 18.4 19.7 33.2 14.1 128.8 16.8 27.5 11.8 3.2 17.0	 3  1 3  	56 11 50 10 12 76 55 75	12.2	320.7	
Flight 3h; April 28, 1957									
37.7 50.0 56.5 62.0 73.1 80.8 85.3 87.1 92.1	47.9 550.6 67.5 75.5 84.8 85.5 102.9	35,000 34,000 34,000 34,000 37,500 38,000 38,000 38,000	310 311 299 295 300 233 230 235 235	94.4 48.7 36.6 47.2 20.7 27.9 3.6 11.2 81.0	1 2 2   	13 11 11 19 66 55 8	20.9	236.4	

; ;